

FAQ 106 – How do I access email and set up email client applications?

- Access your webmail
- Outlook 2016 Setup
- Access from Mozilla Thunderbird
- Access from Apple Mail
- Access from iPhone
- <u>Access from Android</u>

Access Your Webmail

There are two ways to access a mailbox for sending and receiving email messages:

- 1. Set up and use an email client program on your computer. Typically, in such programs you should specify the following settings:
 - a. **Username**. In this field, specify your full email address. For example, *johndoe@example.com*.
 - b. **Password**. Most likely, the password to your email account.
 - c. **Mail server protocol**. This property defines whether you want to keep copies of messages on the server or not. To keep the copies on the server, select the **IMAP** option. If you do not want to keep them on the server, select **POP3**.
 - d. **Incoming mail server** (*POP3/IMAP*). Type your domain name. For example, *mail.wetdrive.com*. The POP3 port is *110*. The IMAP port is *143*.
 - e. **Outgoing mail server** (*SMTP*). Type your domain name. For example, *wetdrive.com*. The SMTP port is 587. This server requires authentication and the encrypted connection type is *TLS*
 - f. To get detailed instructions on configuring popular email clients to work with your mailbox, see subsections of this section.
- 2. Use a web browser to connect to the webmail interface.
 - a. To access your mailbox through webmail, do any of the following:
 - 1. In a Web browser, visit the URL *webmail.wetdrive.com*, where wetdrive.com is the Internet address of your website. When prompted, specify your full email address as the username (for example, *test@wetdrive.com*), and specify the email address password provided in your welcome letter.
 - 2. When logged in to Roundcube, you will automatically be directed to the inbox.



Add Account

O E-mail <u>A</u>ccount

Auto Account Setup Manual setup of an account or connect to other server type

Example: ellen@contoso.com

 \times 尜

Outlook 2016 Setup:

1) Click File

- 2) Click "Account Settings"
- 3) Select Account Settings "Add and remove accounts or change existing connections settings"
- 4) Select "New"
- 5) Select Manual and Click Next
- Calact "DOD on INAAD" 6)

Select POP of IIVIAP		
) Click Next		<u>Manual setup or additional server types</u>
Add Account		< Back Next > Cancel
POP and IMAP Account Set Enter the mail server settir	tings ngs for your account.	Add Account × Choose Service
User Information		Outlook.com or Exchange ActiveSync compatible service Connect to a service such as Outlook.com to access email, calendars, contacts, and tasks OPO or IMAP Connect to a POP or IMAP email account
Your Name:	Test Name	
Email Address:	test@wetdrive.com	
Server Information		
Account Type:	POP3 🗸	
Incoming mail server:	mail.wetdrive.com	
Outgoing mail server (SMTP):	wetdrive.com	< Back Next > Cancel
Logon Information		8) Enter the following
User Name:	test@wetdrive.com	a) Name
Password:	*****	b) Email address
☑ <u>R</u> e ☐ Re <u>a</u> uire logon using Secur (SPA)	member password e Password Authentication	 c) Select either POP or IMAP Account Type d) Enter incoming mail server; this will be mail.yourdomain.com. if you are a wetdrive.com email customer select mail.wetdrive.com e) For outgoing mail server (SMTP) this
	More Settings	will be yourdomain.com. if you are a
		wetdrive.com customer use wetdrive.com

- f) For User Name enter your complete email address
- g) Enter the password that was provided to you in your welcome letter
- h) Place a check mark in the box labeled "Remember Password"
- Click "More Settings" i)



- Select the "Outgoing Server" tab and click to place a check mark in the box labeled "My outgoing server (SMTP) requires Authentication"
- Page | 3 10) Make sure the "Use same settings as my incoming mail server" radial is selected
 - 11) Select the "Advanced" Tab
 - a) Incoming Server (POP3) will be 110; if you are using (IMAP) enter 143
 - b) "Outgoing Server(SMTP): enter 587
 - c) "Use the following type of encrypted connection: Select TLS
 - d) Click OK
 - e) Click next
 - f) Click close.

Internet E	-mail Settings	×
General	Outgoing Server	Advanced
My o ⊚ ⊔	utgoing server (SM se same settings as	TP) requires authentication my incoming mail server
0 <u>t</u> o	og on using	
U	lser <u>N</u> ame:	
P	assword:	



Access from Mozilla Thunderbird

The instructions provided in this section were verified against Mozilla Thunderbird 31.4.0. They might not work with earlier or later versions of Mozilla Thunderbird.

- Page | 4 To set up Mozilla Thunderbird:
 - 1. Open Mozilla Thunderbird.
 - 2. Click Email under the Create a new account heading.
 - 3. Click the Skip this and use my existing email button.
 - 4. Specify the following:
 - Your name, as you want it to appear in any messages you send.
 - Your email address and password.

Mail Account Setup			x
Your <u>n</u> ame:	John Doe	Your name, as shown to others	
Emai <u>l</u> address:	email@example.com		
<u>P</u> assword:	Password		
	Remember password		
<u>G</u> et a new acco	bunt	<u>Continue</u> C <u>ancel</u>	

- 5. Click Continue.
- 6. If Thunderbird fails to find the settings automatically, specify the following:
- Account type. If you want to keep copies of messages on the server, select the **IMAP** option. If you do not want to keep any messages on the server, select the **POP3** option.



7. Click Done.

If you wish to set up a mail account manually, please use the following typical combinations of connection security and authentication method settings. If the settings do not work for you, ask your hosting provider about the correct combination.

Page	5
<u> </u>	•

On Linux,	SMTP,	IMAP,	POP3:
-----------	-------	-------	-------

Your <u>n</u> ame: Joh	n Doe	Your name, as sho	wn to oth	ers	
Emai <u>l</u> address: ema	ail@example.com				
Password:	•••				
	Re <u>m</u> ember passwor	rd			
	Correction de la		Deat	60	A shart at a
	Server hostr	name	Port	SSL	Authentication
Incoming: IMAP	Server hostr	name m	Port 143	SSL TARTTLS	Authentication
Incoming: IMAP Outgoing: SMTP	Server hostr example.co example.cor	name m m 🔻	Port 143 25	SSL STARTTLS STARTTLS	Authentication Encrypted password Encrypted password
Incoming: IMAP Outgoing: SMTP Username: Incom	Server hostr example.co example.cor ing: email	name m m 🔻	Port 143 25	SSL STARTTLS STARTTLS Outgoing:	Authentication Encrypted password Encrypted password email
Incoming: IMAP Outgoing: SMTP Username: Incom	Server hostr example.co example.cor ing: email	name m m 👻	Port 143 25	SSL STARTTLS STARTTLS Outgoing:	Authentication Encrypted password Encrypted password email

- **SSL/TLS**: STARTTLS
- Authentication: Encrypted password On Windows, IMAP:
- SSL/TLS: None
- Authentication: Encrypted password On Windows, SMTP, POP3:
- SSL/TLS: TLS
- Authentication: Normal password Other parameters that you may need when configuring your account manually:
- POP3 port: 110
- IMAP port: 143
- SMTP port: 587
- Username. Your full email address. For example: *johndoe@example.com*.



- Incoming server address (POP3/IMAP). Enter incoming mail server; (this will be mail.yourdomain.com. if you are a wetdrive.com email customer select mail.wetdrive.com
- g) **Outgoing server address**. For outgoing mail server (SMTP) this will be yourdomain.com. if you are a wetdrive.com customer use wetdrive.com



Access from Apple Mail

The instructions provided in this section were verified against Apple Mail 8.2. They might not work with earlier or later versions of Apple Mail.

Page | 7 To set up Apple Mail:

1. Open Apple Mail and choose the Add Other Mail Account option from the list.



2. Click Continue.



	E R D	* * * * .		Q. Search
Malboxes	Sent Flegged Drafts			
Mailboxes Inbox Sent Smart Mailboxes	Sort by Date v	Add a Mail Account To get started, provide Full Name: Email Address: Password:	e the following information John Doe mail@example.com	n:
Mail Activity				No Message Selected

3. Specify your full name, your email address and password, and click **Create**. After you are prompted to configure the account manually, click **Next**.



	9 8 9	Inbex (Read Only)	Q. Search
Mailboxes (Mbor	Sent Pagged Drafts		
Mallboxes	Sort by Date 😽	Incoming Mail Server Info	
Smart Maliboxee	Account Type: IMAP POP Mail Server: example.com User Name: mail@example.co Password: ••••••	Back Next sage Selected	
Mail Activity			
+ 🖸 💠			

4. Specify the following:

- Account type. Select IMAP if you want to keep copies of received email messages on the server. Select POP if you do not.
- Mail Server. Type in your domain name, for example, *example.com*.
- User Name. Type in your full email address.
- **Password**. Type in your password.
- 5. Click Next. When prompted for additional information, click Next again.



	0		Inbox (Read Only)		
			4 44 + P -		Q, Search
	Mailboxes Plane Se	nt Facord Drafts			
	Mailboxes	Sort by Date 🐱			
Page 10	S Inbox		Incoming Mail Server Into		
A) Smart	1 Sent				
	Smart Mailboxes		Path Prefix: Optional		
			Port: Auto Use	SSL	
			Authentication: Password		
			Theread and the addition of the addition of the		
			Canad	Back Director	
			Gancer	Daux	
				No Messa	ae Selected
					9
	Mall Activity				
	+ 🖂 🔷 -				

- 6. Specify the following:
 - Path Prefix. Leave empty unless your provider advises you to use one.
 - Port. Leave it set to Auto unless your provider advises you to use a custom port.
 - **Use SSL**. Select this checkbox if advised by your provider. Otherwise leave it clear.
 - Authentication. Select Password from the menu.
- 7. Click Next.



	E RO	* * * *	Inbox (Read Only)	C Search	
Mailboxes Fibox	Sent Flaggod Drafts				
Mailboxee	Sort by Date 🛩	4			
🖂 Inbox		Outgoing Mail Se	arver info		
A Sent					
Smart Mailboxes	SMTP Server: example.com				
		User Name: mail@example.com			
		Password:			
		Additional	account information required Back Next No Met	ssage Selected	
Mail Activity					
+ 🖂 💠					

8. Specify the following:

- **SMTP Server**. Type in your domain name, for example, *example.com*.
- User Name. Type in your full email address.
- **Password**. Type in your password.
- 9. Click **Next**. When prompted for additional information, click **Next** again.





10. Specify the following:

- **Port**. Leave it set to **Auto** unless your provider advises you to use a custom port.
- **Use SSL**. Select this checkbox if advised by your provider. Otherwise leave it clear.
- Authentication. Select Password from the menu.
- 11. Click Create.



Access from iPhone

The instructions provided in this section were verified against iPhone 5s.

Page | 13 To set up a mail account on iPhone:

1. Go to **Settings** > **Mail, Contact, Calendars** and select **Add Account**.



2. In the displayed list of email providers, select Other. Then tap Add Mail Account.



- 3. On the New Account screen, enter the following information:
 - **Name**. Specify the name that will be displayed in your emails.
 - **Email**. Specify your full email address. Example: *admin1@example.com*.
 - Password. Specify the password of your email account.
 - **Description**. Specify account description (optionally).



- 4. Tap **Next**. At the top of the next screen select **IMAP** (if you want to keep copies of received email messages on the server) or **POP**. Then specify the details of your incoming and outgoing mail servers. For both servers, you should enter the following:
 - Host name. Type in your domain name, for example, *example.com*.
 - **User name**. Type in the name of your email account, for example, *admin@example.com*.
 - **Password**. The password to your email account (it is optional for outgoing mail server).



5. Once the email configuration is added, tap **Save** to continue. The connection to the specified server will be verified. If the connection is OK, you will see the screen where you can choose what information you want to sync with your phone.



6. When all the information is provided, tap **Save** to save the entered information. Your iPhone will then verify your account information. Upon successful completion, you will be taken to the **Mail** screen. Your account will now be listed in the **Accounts** section.



Access from Android

The instructions provided in this section were verified against Android 4.4.2.

Page | 18 To set up a mail account on Android:

- 1. Open the Gmail app. Touch the menu on the top left. Touch the down arrow to the right of your username and then touch **Add account**. Then follow the steps described below. To go to the next step, tap **Next** on the screen.
- 2. On the **Set up email** screen select **Personal (POP, IMAP)**.



🖬 🕈 🗳	🗣 🗭 🛜 🖬 🗊 17:35
Set	up email
0	Google Gmail or Google Apps
۲	Personal (IMAP/POP) Yahoo, Outlook.com, AOL Mail, etc.
<	NEXT >

3. On the next screen, specify your full email address. Example: *admin@example.com*.





4. Specify the type of account. To keep the copies of email messages on the server, select the **IMAP** option. If you do not want to keep them on the server, select **POP3**.



🖾 📚 🖻	🗣 🛱 🛜 🖬 💷 17:35
adm	in@example.com
What t	ype of account is this?
۲	Personal (POP3)
0	Personal (IMAP)
<	NEXT >

5. Specify the password of your email account.



📟 🖪 マ 🖻	∢ × 1	🛱 🛜 🖬 🔳 17:35
admin@	example.	Com
 □ Show pa	ssword	NEXT >
1 2 3 4	5 6	7 8 9 0
@ # \$	% & -	+ ()
=\< * "	':;	!? 🗙
^{ABC} , _	English	/ . Done

6. The next screen displays the settings of an incoming server. Specify the Port number 110 for POP3 or 143 for IMAP.



\$ ₽	🗣 🛱 🛜 🖬 🔲 17:36		
Incoming server settings			
USERNAME			
admin@examp	ble.com		
PASSWORD			
•••••			
Show passv	vord		
SERVER			
example.com			
PORT			
110			
SECURITY TYPE			
STARTTLS			
Delete email from	server		
<	NEXT >		

7. The next screen displays the settings of an outgoing server. The port number should be 587.



📟 🛛 💙 🖻	I I7:39 III III I7:39				
Outgoing server settings					
SMTP SERVER					
wetdrive	wetdrive.com				
PORT 587					
SECURITY TYPE					
STARTILS					
<	<pre> NEXT > </pre>				
1	2	3	-		
4	5	6	,		
7	8	9	×		
	0	English	Next		

8. When all the data is specified, your Android device will check the connection to the server and create your mail account. The new account will be displayed in the list of accounts in the Gmail app.